


## 業績目録（小杉紘史）

著者	東北大学史料館
号	1021
発行年	2007-03
URL	<a href="http://hdl.handle.net/10097/00065838">http://hdl.handle.net/10097/00065838</a>

# 小杉紘史教授業績目録

平成 19 年 3 月  
東北大学史料館  
(著作目録第 1021 号)



## 小 杉 紘 史 教 授 略 歴

生年月日	昭和18年10月3日
本 籍 地	新潟県
職 名	教 授
所 属	薬学研究科創薬科学専攻 有機合成プロセス化学分野

### 最終学歴

昭和42年3月	東北大学理学部化学科卒業
昭和45年3月	東北大学大学院理学研究科化学専攻修士課程修了
昭和45年9月	東北大学大学院理学研究科化学専攻博士課程中退

### 学 位

昭和53年4月	理学博士（東北大学）
---------	------------

### 職 歴

昭和45年10月	東北大学非水溶液化学研究所助手
平成6年6月	東北大学反応化学研究所助教授
平成13年4月	東北大学医療技術短期大学部総合教育学科教授
平成15年10月	東北大学薬学研究科教授
平成18年3月	定年退職

## 業 績 目 録

## 総説および解説

1. ヘテロ元素の有機化学「硫黄を不斉合成に使う」  
小杉紘史, 宇田 尚, 化学増刊 115, 昭和 63 年 10 月, 化学同人
2. 化学大辞典  
共著, 平成 1 年 10 月, 東京化学同人
3. Asymmetric Synthesis  
共著, 平成 10 年, KODANSHA

## 研究論文

1. Solvolytic Rearrangement of 1  $\beta$ -(Tosyloxy)-4  $\alpha$ , 8a  $\beta$ -dimethyldecalin Derivatives; A Synthesis of ( $\pm$ )-Bulnesol.  
Michiharu Kato, Hiroshi Kosugi, and Akira Yoshikoshi, J. Chem. Soc., Chem. Commun., 185-186, **1970**.
2. Total Synthesis of ( $\pm$ )-Kessane.  
Michiharu Kato, Hiroshi Kosugi, and Akira Yoshikoshi, J. Chem. Soc., Chem. Commun., 937, **1970**.
3. 2(7H)-Oxepinones: Photochemical Oxidation of 6-Monosubstituted Fulvenes.  
Akira Kawamoto, Hiroshi Kosugi, and Hisashi Uda, Chemistry Lett., 807-810, **1972**.
4. A New Synthetic Method for  $\beta$ -Substituted Butenolides .  
Kiyoshi Iwai, Mikio Kawai, Hiroshi Kosugi, and Hisashi Uda, Chemistry Lett., 385-858, **1974**.
5. A New Synthetic Method for  $\beta$ -Substituted Butenolides .  
Kiyoshi Iwai, Hiroshi Kosugi, and Hisashi Uda, Chemistry Lett., 1237-1240, **1974**.
6. Michael Reaction of  $\alpha$ -Phenylsulfinyl-Butenolids.  
Kiyoshi Iwai, Hiroshi Kosugi, and Hisashi Uda, Chemistry Lett., 981-984, **1975**.

7. Vinylogous Pummerer Rearrangement of Methyl Cyclopentylidene ( phenylsulphinyl ) acetate.  
Hiroshi Kosugi, Hisashi Uda, and Shuichi Yamagiwa, J. Chem. Soc., Chem. Commun., 192-193, **1975**.
8. Mehtyl  $\alpha$ -Bromocrotonate as a Biannelating Agent ; Reactions with Cyclohex-2-enones.  
Hisahiro Hagiwara, Tsutomu Kodama, Hiroshi Kosugi, and Hisashi Uda, J. Chem. Soc. Chem. Commun ., 413-414, **1975**.
9. Photochemical Cycloaddition Reactions of  $\alpha$  ,  $\beta$ -Unsaturated Lactones with Olefins, and Application to Synthesis of Natural Products.  
Hiroshi Kosugi, Shizuo Sekiguchi, Ryu-ichi Sekita, and Hisashi Uda, Bull. Chem. Soc. Jpn., 49, 520-528, **1976**.
10. Generation of 3-Carbanion Species from 3-Phenylsulfonyl- and 3-Phenylsulfonyl Propionic Acids.  
Kiyoshi Iwai, Hiroshi Kosugi, Akio Miyazaki, and Hisashi Uda, Synthetic Commun, 6, 357-363, **1976**.
11. Additive Pummerer Rearrangement of Methyl Cyclopentylidene ( phenylsulphinyl ) acetate Induced by Acetyl Chloride, Trifluoroacetic Anhydride, and Thionyl Chloride.  
Hiroshi Kosugi, Hisashi Uda, and Shuichi Yamagiwa, J. Chem. Soc., Chem. Commun., 71, **1976**.
12. Studies Directed Towards the Synthesis of Fomannosin.  
Hiroshi Kosugi and Hisashi Uda, Chem. Lett., 1491-1494, **1977**.
13. Synthesis of 4,4a,5,6,7,8-Hexahydro-5-hydroxy-4a,8a-climethylnaphthalen-2(3*H*)-one, a Versatile Intermediate for Sesquiterpene Synthesis.  
Michiharu Kato, Hiroshi Kurihara, Hiroshi Kosugi, Masataka Watanabe, Shigeru Asuka, and Akira Yoshikoshi, J. Chem. Soc., Perkin Trans I, 2433-2436, **1977**.
14. New Method for Synthesis of Various Types of Substituted 2(5*H*)-Furanones.  
Kiyoshi Iwai, Hiroshi Kosugi, Hisashi Uda, and Mikio Kawai, Bull. Chem. Soc. Jpn., 50, 242-247, **1977**.
15. Reaction of the Carbanion Species of (Phenylthio)acetic Acid and its Ester with Carbonyl Compounds.  
Shuichi Yamagiwa, Nobuto Hoshi, Hitoshi Sato, Hiroshi Kosugi, and Hisashi Uda, J. Chem. Soc., Perkin Trans I, 215-224, **1978**.

16. Synthesis of Monoterpene Lactone from *Chrysanthemum flosculsum* L.  
Shuichi Yamagiwa, Hiroshi Kosugi, and Hisashi Uda, *Bull. Chem. Soc. Jpn.*, **51**, 3011, **1978**.
17. New Rearrangement Reactions of  $\alpha$ -Phenylsulphonylacrylate Derivatives.  
Shuichi Yamagiwa, Hitoshi Sato, Nobuto Hoshi, Hiroshi Kosugi, and Hisashi Uda *J. Chem. Soc., Perkin Trans I*, 570, **1979**.
18. Methyl 3-Lithio-2-Phenylthio-2-Propenoate as a Zwitterionic Three Carbon Addend; Reaction with Carbonyl Compounds.  
Kohei Isobe, Masaaki Fuse, Hiroshi Kosugi, Hisahiro Hagiwara, and Hisashi Uda *Chem. Lett.*, 785, **1979**.
19. Synthesis of ( $\pm$ )-Dihydrofomannosin Acetate.  
Hiroshi Kosugi and Hisashi Uda, *Bull. Chem. Soc. Jpn.*, **53**, 160-168, **1980**.
20. Nickel-catalyzed Conjugate Addition of Alkenylzirconium Species to  $\alpha, \beta$ -Unsaturated Ketones.  
Jeffrey Schwartz, Melanie Loots, and Hiroshi Kosugi, *J. Am. Chem. Soc.*, **102**, 1333-1340, **1980**.
21. A Facile Synthesis of 4-Phenylthio-2(5H)-furanone Derivatives. Synthesis of Sesquirose furan and Bullatenone.  
Yasuhiro Takahashi, Hisahiro Hagiwara, Hisashi Uda, and Hiroshi Kosugi, *Heterocycles*, **15**, 225-229, **1981**.
22. A Total Synthesis of Methylenomicin A.  
Yasuhiro Takahashi, Kohei Isobe, Hisahiro Hagiwara, Hiroshi Kosugi, and Hisashi Uda, *J. Chem. Soc., Chem. Commun.*, 714-715, **1981**.
23. A Total Synthesis of Methylenomicin B.  
Yasuhiro Takahashi, Hiroshi Kosugi, and Hisashi Uda, *J. Chem. Soc., Chem. Commun.*, 496-497, **1982**.
24. Synthesis of ( $\pm$ )-Desepoxy-4,5-didehydromethylenomicin A.  
Yasuhiro Takahashi, Hiroshi Kosugi, and Hisashi Uda, *Chem. Lett.*, 815-816, **1982**.
25. Generation and Reaction of the Allylic Carbanion Species from 2-Methyl-3-(phenylthio)-Propenoic Acid Derivatives.  
Masaki Kitaoka, Yasuhiro Takahashi, Hiroshi Kosugi, and Hisashi Uda, *Chem. Lett.*, 1065-1068, **1983**.

26. Highly Diastereoselective Reduction of Chiral 3-Ketosulphoxides under Chelation Control: Application to the Synthesis of (*R*)-(+)-n-Hexadecano-1,5-lactone.  
Hiroshi Kosugi, Hiroshi Konnta, and Hisashi Uda, J. Chem. Soc., Chem. Commun., 211-213, **1985**.
27. A Simple Preparative Method for Optically Pure 1-Aklynyl *p*-Tolyl Sulfoxides via 1-Alkynyl *p*-Tolyl Sulfoxides.  
Hiroshi Kosugi, Masaki Kitaoka, and Hisashi Uda, Chem. Lett., 805-808, **1985**.
28. Highly enantioselective rearrangement of (*S*)-*E*- $\alpha$ -*p*-tolylsulfinyl- $\alpha$ ,  $\beta$ -enoates to (*R*)-*E*- $\gamma$ -hydroxyl- $\alpha$ ,  $\beta$ -enoates.  
Hiroshi Kosugi, Masaki Kitaoka, Akira Takahashi, and Hisashi Uda, J. Chem. Soc., Chem. Commun., 1268-1270, **1986**.
29. Simple and Stereocontrolled Preparation of Optically Pure (*E*)- and (*Z*)-1-Aklynyl *p*-Tolyl Sulfoxides via 1-Alkynyl *p*-Tolyl Sulfoxides.  
Hiroshi Kosugi, Masaki Kitaoka, Katsuya Tagami, and Hisashi Uda, J. Org. Chem., 52, 1078-1082, **1987**.
30. Binuclear Copper (II) Complexes of Aminopolycarboxylic Acids with an Alcoholic OH in the Alkyl Chain Linkage.  
Satoshi Kawata, Hiroshi Yokoi, Masamoto Iwaizumi, and Hiroshi Kosugi, Chem. Lett., 2321-2323, **1987**.
31. Asymmetric Synthesis of Natural Products using Chiral Sulfoxides.  
小杉紘史, 有機合成協会誌, 45, 472-80, **1987**.
32. A Green Complexes from the Reaction of a Binuclear Copper (II) Complexes of 2-Hydroxy-1,4- butanediaminotetraacetic Acids with H<sub>2</sub>O Satoshi Kawata, Hiroshi Yokoi, Masamoto Iwaizumi, and Hiroshi Kosugi, Bull. Chem. Soc. Jpn., 61, 2195-2196, **1988**.
33. Highly Enantiospecific Synthesis of 4-Alkyl- and 4,5-Dialkyl Substituted 4,5-Dihydrofuran- 2(3*H*)-ones from Optically Active *E*- and *Z*-1-Alkenyl-*p*-Tolylsulphoxides: Application to the Synthesis of Lignan Lactones.  
Hiroshi Kosugi, Katsuya Tagami, Akira Takahashi, Hiroshi Kanna, and Hisashi Uda, J. Chem. Soc., Perkin Trans I, 935-943, **1989**.

34. Lewis Acid-Mediated Carbon-Carbon Bond Forming Reaction using the Pummerer Rearrangement Products from Chiral -Hydroxy Sulfoxides.  
Hiroshi Kosugi, Yasuyuki Watanabe, and Hisashi Uda, Chem. Lett., 1865-1868, **1989**.
35. Simple Synthesis and the Diels-Alder Reaction of 3-(p-Tolylthio)-2-(trimethylsilyloxy)-1,3-diene.  
Hiroshi Kosugi, Kunihide Hoshino, and Hisashi Uda, Chem.Lett., 1577-1578, **1991**.
36. Cyclization of Polyenic 3-Keto Sulphoxides. A Novel Route to Optically Active Intermediates for Cyclic Terpenoid Synthesis.  
Hiroshi Kosugi, Kunihide Hoshino, and Hisashi Uda, J. Chem. Soc., Chem. Commun., 1173-1174, **1991**.
37. Novel transformation of  $\beta$ -keto sulfoxides to unsaturated  $\beta$ -keto sulfides.  
Hiroshi Kosugi, Kunihide Hoshino, and Hisashi Uda, J. Chem. Soc., Chem. Commun., 560-561, **1992**.
38. Solution Equilibrium and EPR Study of the Dinuclear Copper (II) Complexes of Aminopolycarboxylic Acids with an Alcohol OH Group in the Alkyl Chain Linkage.  
Satoshi Kawata, Hiroshi Kosugi, Hisashi Uda, Masamoto Iwaizumi, and Hiroshi Yokoi, Bull. Chem. Soc. Jpn., 65, 2910-2921, **1992**.
39. A New Route to Enantiomerically Pure 4,4-Disubstituted Cyclohex-2-en-1-ones: Asymmetric Synthesis of (+)-Mesembrine.  
Hiroshi Kosugi, Yasuyuki Miura, Hiroshi Kanna, and Hisashi Uda, Tetrahedron: Asymmetry, 4, 1409-1912, **1993**.
40. Synthesis of enantiomerically pure juvenile hormone II.  
Hiroshi Kosugi, Osamu Kanno, and Hisashi Uda, Tetrahedron: Asymmetry, 5, 1139-1142, **1994**.
41.  $\beta$ -Hydroxy sulfoxide derivatives as a powerful chiral protonating reagent.  
Hiroshi Kosugi, Kunihide Hoshino, and Hisashi Uda, Phosphorus, Sulfur and Silicon and the Related Elements, 95 & 96, 401-2, **1994**.
42. A facile and efficient route to the bicyclo[3.2.1]octane system. Application to the enantioselective approach to cyclopentanoids.  
Hiroshi Kosugi, Junichiro Sugiura, Michiharu Kato, Michiharu, J. Chem. Soc., Chem. Commun., 24, 2743-2744, **1996**.



43. Stereocontrolled Synthesis of the Key Intermediate for the Enantioselective Synthesis of Clerodane Natural Products.  
Michiharu Kato, Hiroshi Kosugi, Ariko Kodaira, Hisahiro Hagiwara, Bernhard Vogler, *Tetrahedron Letters*, **38**, 6845-6848, **1997**.
44. Highly Enantiofacial Protonation of Prochiral Lithium Enolates with Chiral  $\beta$ -Hydroxy Sulfoxides.  
Hiroshi Kosugi, Kunihide Hoshino, Hisashi Uda, *Tetrahedron Letters*, **38**, 6861-6864, **1997**.
45. A Study of Asymmetric Protonation with Chiral  $\beta$ -Hydroxy Sulfoxides. Asymmetric Synthesis of (-)-Epibatidine.  
Hiroshi Kosugi, Makito Abe, Ryota Hatsuda, Hisashi Uda, Michiharu Kato, *J. Chem. Soc., Chem. Commun.*, 1857-1858, **1997**.
46. Synthetic Study of Marine Lobane Diterpenes: Efficient Synthesis of (+)-Fuscol.  
Hiroshi Kosugi, Osamu Yamabe, and Michiharu Kato, *J. Chem. Soc., Perkin 1*, 217-222, **1998**.
47. Preparation of Optically Active Apoverbenone and Verbenone from Nopinone by Use of the Sulfonylation-Dehydrosulfonylation Method. Stability and Reactivity Attributable to Absolute Configuration at the Sulfur Atom in Sulfoxides.  
Hiroshi Kosugi, Jaseung Ku, and Michiharu Kato, *J. Org. Chem.*, **63**, 6939-6946, **1998**.
48. Contrasting effects of an aminobisphosphonate, a potent inhibitor of bone resorption, on lipopolysaccharide-induced production of interleukin-1 and tumor necrosis factor - in mice.  
Shunji Sugawara, Masahiko Shibazaki, Haruhiko Takada, Hiroshi Kosugi, and Yasuo Endo, *British Journal of Pharmacology*, **125**, 735-740, **1998**.
49. Inhibition of inflammatory actions of aminobisphosphonates by dichloromethylene bisphosphonate, a non-aminobisphosphonate.  
Yasuo Endo, Masahiko Shibazaki, Kouji Yamaguchi, Masanori Nakamura, and Hiroshi Kosugi, *British Journal of Pharmacology*, **126**, 903-910, **1999**.
50.  $\text{BF}_3$ -induced cyclobutane-opening of verbenone and its deconjugate homolog. Efficient preparation of o-mentha-1,8-dien-3-one and o-menth-1-en-3-one in optically active forms.  
Takashi Kusakari, Tsuyoshi Ichiyanagi, Hiroshi Kosugi, and Michiharu Kato, *Tetrahedron: Asymmetry*, **10**, 339-346, **1999**.

51. Synthetic study of marine lobane diterpenes. Enantioselective syntheses of lobatrienolide and lobatrientriol from (+)-nopinone.  
Michiharu Kato, Hiroshi Kosugi, Tsuyoshi Ichiiyanagi, and Osamu Yamabe, *J. Chem. Soc., Perkin 1*, 783-788, **1999**.
52. Enantioselective syntheses of (-)-7-oxo-kolavenic acid and (-)-methyl solidagone from (-)-verbenone.  
Michiharu Kato, Hiroshi Kosugi, Tsuyoshi Ichiiyanagi, Yakao Suzuki, Ariko Kodaira, Petr Drechsel, and Hisahiro Hagiwara, *Tetrahedron Letters* **40**, 5377-5378, **1999**.
53. Synthesis of (R<sub>c</sub>,S<sub>s</sub>)-1,1,1-trifluoro-3-(p-tolylsulfinyl)-2-propanol by an asymmetric reduction with a yeast, *Yamadazyma farinosa*, as a key-step.  
Atsushi Sakai, Mikio Bakke, Hiromichi Ohta, Hiroshi Kosugi, and Takeshi Sugai, *Chemistry Letters*, 1255-1256, **1999**.
54. A time kinetic study of the effect of aminobisphosphonate on murine hemopoiesis.  
Masanori Nakamura, Hideki Yagi, Yasuo Endo, Hiroshi Kosugi, Tadashi Ishi, and Tsunetoshi Itoh, *British Journal of Haematology* **107**, 779-790, **1999**.
55. Asymmetric polyene cyclization via episulfonium ion.  
Hiroshi Kosugi, Hiroshi Tanaka, Issei Tsukamoto, and Michiharu Kato, *Phosphorus, Sulfur and Silicon and the Related Elements*, **153-154**, 311-312, **1999**.
56. Studies of the lowest excited triplet state of 3,3'-biisoquinoline ( dicyano ) platinum(II)[Pt(CN)<sub>2</sub>(i-biq)] by means of time-resolved electron paramagnetic resonance and optical spectroscopy.  
Tomoko Funayama, Masako Kato, Hiroshi Kosugi, Mikio Yagi, Jiro Higuchi and Seigo Yamauchi, *Bull. Chem. Soc. Jpn.*, **73**, 1541-1550, **2000**.
57. Highly stereospecific conversion of C-centrochirality of a 3,4-dihydro-2H-1,1'-binaphthalen-1-ol into axial chirality of a 3,4-dihydro-1,1'-binaphthalene.  
Tetsutaro Hattori, Masamitsu Date, Kenta Sakurai, Naoya Morohashi, Hiroshi Kosugi, and Sotaro Miyano, *Tetrahedron Letters*, **42**, 8035-8038, **2001**.

